



MATERIAL SAFETY DATA SHEET

CRYSTAL CLEAR GLASS CLEANER

1. Product And Company Identification				
Supplier Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Laura E. Radevski Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com		Manufacturer Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Laura E. Radevski Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com		
Supplier Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924		Manufacturer Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924		
Issue Date: 08/02/2012 Product Name: CRYSTAL CLEAR GLASS CLEANER Chemical Name: 7-7694 MSDS Number: 5170 Product Code: 439-3455 (14-3455-1017-1) Product/Material Uses - Glass Cleaner				
2. Composition/Information On Ingredients				
		Ingredient Name	CAS Number	Percent Of Total Weight
		2-BUTOXYETHANOL	111-76-2	1 - 5
		*BUTANE	106-97-8	
		*PROPANE	74-98-6	
*Components of Hydrocarbon Propellant. This product may also contain isobutane (CAS# 75-28-5). Hazardous components, according to OSHA, are listed when present at 1.0% or greater. Carcinogens are listed when present at 0.1% or greater.				
3. Hazards Identification				
Primary Routes(s) Of Entry - Ingestion (possible, but considered unlikely), eye contact, skin contact, inhalation. Eye Hazards - Can cause irritation after contact with the eyes. Skin Hazards - May cause skin irritation after prolonged contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may result on skin absorption of potentially harmful amounts. Ingestion Hazards - This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red blood cell hemolysis and possible liver and kidney damage. Inhalation Hazards - Deliberate inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Chronic/Carcinogenicity Effects - 2-Butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage. None of the ingredients, present in excess of 0.1%, are listed as carcinogenic by NTP, IARC or OSHA. Teratogenicity (Birth Defects) - Not known Reproductive Effects - Not known Neurotoxicity - Not known				